


# Mod. 1908 B

COPOLYMER POLYPROPYLENE WATERPROOF CASE



METRIC MM-KG-C°



### INTERNAL DIMENSIONS

L LENGTH	190 mm
W WIDTH	125 mm
D DEPTH	85 mm
LID	20 mm
BASE	65 mm


### EXTERNAL DIMENSIONS

L LENGTH	216 mm
W WIDTH	180 mm
D DEPTH	102 mm

### OTHER DATA

WEIGHT EMPTY	0.70 Kg
WEIGHT WITH FOAM	0.80 Kg
WEIGHT WITH CUSTOM FOAM	Kg
VOLUME	2 lt
BUOYANCY	1.40 Kg/max
OPERATING TEMPERATURE	°C min -33 / max +90

IMPERIAL IN-LBS-F°



### INTERNAL DIMENSIONS

L LENGTH	7 1/2 in
W WIDTH	4 15/16 in
D DEPTH	3 3/8 in
LID	13/16 in
BASE	2 9/16 in

### EXTERNAL DIMENSIONS

L LENGTH	8 1/2 in
W WIDTH	7 1/16 in
D DEPTH	4 in

### OTHER DATA

WEIGHT EMPTY	1.54 lbs
WEIGHT WITH FOAM	1.76 lbs
WEIGHT WITH CUSTOM FOAM	lbs
VOLUME	0.52 gal
BUOYANCY	3.08 lbs/max
OPERATING TEMPERATURE	°F min -27.4 / max +194

## FEATURES



**CORROSION PROOF METAL HINGES WITH LID STAY FEATURES**



**SEALING O-RING**  
(Art. NEOSEAL + nr. art.)



**OPTIONAL SHOULDER STRAP (universal)**  
(art. SHOULDERKIT.U)



**LATCH**



### PVC WATERPROOF I. D. REMOVABLE LABEL

(Art. LABELCOVER + nr. art.)



### MANUAL PRESSURE RELEASE VALVE

The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)

## ACCESSORIES



### PROTECTIVE SLEEVE FOR PC 13'-13.3''''

TOP ENVELOPE 13

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.



### PADDED DIVIDER FOR 1908

DIV1908

Padded dividers with internal adjustable partitions. Ideal to protect and transport any kind of sensitive equipment. Thanks to their modularity, they can be easily combined.



### CONVOLUTED FOAM SET FOR CASE 1908 AND 1913

LIDFOAM.19

(includes 2 pcs.)



### ADJUSTABLE SHOULDER KIT

SHOULDERKIT.U

The kit is composed by: shoulder strap with plastic endings, 4 threaded knots, 2 metal plates. (min. extension 106 cm, max. extension 201 cm). The strap comes with the Explorer logo. Suitable for models: 1908, 1913, 2209, 2214, 3005, 4412, 4419, 5117, 9413, 11413 and 13513.



### PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



### PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



### TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destroying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



### FOAM SET FOR CASE 1908

FOAM.1908

Layers of pre cubed foam for the bottom and convoluted foam for the lid  
The pre-cubed foam allows the user to tailor the insert to their own individual requirement.  
The convoluted foam in the lid helps to firmly keep the stored equipment when the case is closed.

The set is made by:

- 1 lid convoluted foam layer
- 1 bottom precubed foam layer
- 1 bottom plain foam layer

Available for 1908 model.

Color: dark grey.



MADE IN ITALY

## SPARE PARTS



### Polyurethane o-ring seal for models 1908 and 1913

KIN.0845

Includes:  
1 o-ring



### Manual pressure release valve for models from 1908 to 2214

KIN.0525

Includes:  
1 black purge valve (+ o-ring + pin)  
1 threaded bush  
1 snap ring (Seeger)



### Latch for models from 1908 to 2214

KIN.0442

Includes:  
1 black latch  
1 fixing pin



### Name tag holder for models 1908, 1913, 2209 and 2214

KIN.0497

Includes:  
1 transparent name tag holder



**Handle for model from 1908 to 2214**

KIN.0478

Includes:

- 1 black handle
- 2 fixing pins



**EPDM extruded o-ring seal for models 1908 and 1913**

KIN.0430

Includes:

- 1 o-ring