


Mod. 5117 B

COPOLYMER POLYPROPYLENE WATERPROOF CASE WITH FOAM



METRIC MM-KG-C°



INTERNAL DIMENSIONS

| | |
|----------|--------|
| L LENGTH | 517 mm |
| W WIDTH | 277 mm |
| D DEPTH | 173 mm |
| LID | 50 mm |
| BASE | 123 mm |


EXTERNAL DIMENSIONS

| | |
|----------|--------|
| L LENGTH | 546 mm |
| W WIDTH | 347 mm |
| D DEPTH | 197 mm |

OTHER DATA

| | |
|-------------------------|----------------------|
| WEIGHT EMPTY | 3.80 Kg |
| WEIGHT WITH FOAM | 4.50 Kg |
| WEIGHT WITH CUSTOM FOAM | Kg |
| VOLUME | 24.70 lt |
| BUOYANCY | 15.80 Kg/max |
| OPERATING TEMPERATURE | °C min -33 / max +90 |

IMPERIAL IN-LBS-F°



INTERNAL DIMENSIONS

| | |
|----------|------------|
| L LENGTH | 20 3/8 in |
| W WIDTH | 10 7/8 in |
| D DEPTH | 6 13/16 in |
| LID | 1 15/16 in |
| BASE | 4 13/16 in |

EXTERNAL DIMENSIONS

| | |
|----------|-------------|
| L LENGTH | 21 1/2 in |
| W WIDTH | 13 11/16 in |
| D DEPTH | 7 3/4 in |

OTHER DATA

| | |
|-------------------------|-------------------------|
| WEIGHT EMPTY | 8.37 lbs |
| WEIGHT WITH FOAM | 9.92 lbs |
| WEIGHT WITH CUSTOM FOAM | 0 lbs |
| VOLUME | 6.34 gal |
| BUOYANCY | 34.83 lbs/max |
| OPERATING TEMPERATURE | °F min -27.4 / max +194 |

FEATURES



CORROSION PROOF METAL HINGES WITH LID STAY FEATURES



LID CAN BE SET TO SLIDE-OFF

By releasing the back screw, lid becomes set to slide-off when opened at 70°



SEALING O-RING

(Art. NEOSEAL + nr. art.)



OPTIONAL SHOULDER STRAP (universal)

(art. SHOULDERKIT.U)



SOFT GRIP RUBBER HANDLE

Asa de carga comprobada, reforzada con pasadores de acero a prueba de corrosión



FIXING POINTS

Additional fixing points on the lid, available on certain models



JAM FREE LATCHES WITH EASY-OPENING MECHANISM

(from model 3818 on)



INTERNAL SLOTS

Internal slots for optional panel mounting brackets or panel mounting rings



PVC WATERPROOF I. D. REMOVABLE LABEL

(Art. LABELCOVER + nr. art.)



MANUAL PRESSURE RELEASE VALVE

The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)

ACCESSORIES



PROTECTIVE SLEEVE FOR PC 13'-13.3'''

TOP ENVELOPE 13

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.



TOP COVER FOR DIV51

COV51

Top covers available for larger models: they can be easily fixed on the dividers by Velcro strips. Ideal to protect and keep items in place.



PADDED DIVIDER FOR 5117-5122

DIV51

Padded dividers with internal adjustable partitions. Ideal to protect and transport any kind of sensitive equipment. Thanks to their modularity, they can be easily combined.



PANEL RING FOR CASE 5117 AND 5122

PANRING51.USA

Includes Imperial system fixing screws.

User friendly panel frames, they can be used to fix several kind of panels, from plastic to aluminum ones. Equipped with an additional gasket (which will be squeezed in between the panel and the frame) they can provide the case with a perfect instrumentation surface and a further humidity and dust resistance when the case is used in the field.

Completely removable, resistant and light, these panel rings help to transform the Explorer cases into practical workstations.

LID PANEL WITH ORGANIZED POUCHES

PANEXPL51



Practical and robust lid panel with pouches, ideal for small accessories and documents. Suitable for cases 5117 and 5122. Color: black.

PADDED BAG WITH ADJUSTABLE DIVIDERS

BAG-B



Highly durable padded bag with rubber coated handle and robust zipper with lockable Velcro pull zipper. Practical external front pouch for documents, removable shoulder strap and rubber feet on the bottom to grant better grip. Internal adjustable padded dividers for flexible configuration. Ideal to protect sensitive equipment (ie electronic, photographic, broadcasting, medical etc.). Suitable for cases 5117 and 5122. Color: black.

PANEL RING FOR CASE 5117 AND 5122

PANRING51



Includes Metric system fixing screws. User friendly panel frames, they can be used to fix several kind of panels, from plastic to aluminum ones. Equipped with an additional gasket (which will be squeezed in between the panel and the frame) they can provide the case with a perfect instrumentation surface and a further humidity and dust resistance when the case is used in the field. Completely removable, resistant and light, these panel rings help to transform the Explorer cases into practical workstations.

ADJUSTABLE SHOULDER KIT

SHOULDERKIT.U



The kit is composed by: shoulder strap with plastic endings, 4 threaded knots, 2 metal plates. (min. extension 106 cm, max. extension 201 cm). The strap comes with the Explorer logo. Suitable for models: 1908, 1913, 2209, 2214, 3005, 4412, 4419, 5117, 9413, 11413 and 13513.



PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS

EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PATENTED COMBINATION PADLOCK

EXPL COMBILOCK

Designed to fit snug to the Explorer case mould so as not to swing out



BLIND INSERT

KIT.EXPL.PLUGS

Kit includes 6 pcs.

Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.



TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case without destroying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



METAL BRACKET

KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



FOAM SET FOR CASE 5117

FOAM.5117

Layers of pre cubed foam for the bottom and convoluted foam for the lid



CONVOLUTED FOAM SET FOR CASE 5117 AND 5122

LIDFOAM.51

(includes 2 pcs.)



HANDY BACKPACK CARRYING SYSTEM FOR CASES

BACKPACK M

Made of robust tear resistant polyester. Designed with adjustable and comfortable padded shoulder straps and belt.

Provided with an external pocket for small accessories, with Velcro strap.

Ideal wherever a free hand movement is required, like in outdoor activities, extreme sports, emergency, rescue, trekking, industrial field, etc.

Suitable for models 3317, 3818 and 5117.

Color: black.

SPARE PARTS



Rubber coated handle for models 3818-4412-4419-5117-5122

KIN.0479

Includes:

- 1 black handle
- 2 fixing pins



Polyurethane o-ring seal for models 5117 and 5122

KIN.0852

Includes:

- 1 o-ring



Name tag holder for models from 2712 up

KIN.0496

Includes:

- 1 transparent name tag holder



Easy-opening latch for models from 3818 up

KIN.0446

Includes:

- 1 black latch
- 1 fixing pin



Manual pressure release valve for models from 2712 up

KIN.0495

Includes:

- 1 black purge valve (+ o-ring + pin)
- 1 threaded bush
- 1 snap ring (Seeger)



EPDM extruded o-ring seal for models 5117 and 5122

KIN.0531

Includes:

- 1 o-ring