

64516 300 W 240 V

Halogen lamps, medium/high voltage, single-ended



Areas of application

- Professional film and TV work

Product features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



Product datasheet

Technical data


Electrical data

Nominal wattage	300.00 W
Nominal voltage	240 V

Photometrical data

Nominal luminous flux	7800 lm
Color temperature	3150 K

Dimensions & weight



Diameter	18.5 mm
Length	53.0 mm
Illuminated field	9.7*12.5 mm ²
Filament diameter	12.5 mm

Lifespan

Lifespan	75 h
----------	------

Additional product data

Base (standard designation)	GX6.35
Product remark	With quartz pinch technology

Capabilities

Burning position	s90
------------------	-----

Certificates & standards


EEL – Energy Label	B
--------------------	---

Product datasheet

Country specific categorizations

ANSI code	Other
LIF	CP/97
Order reference	64516 300W 240V

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321098757	64516 300 W 240 V	Folding carton box 1	111 mm x 42 mm x 47 mm	0.22 dm ³	21.50 g
4008321098764	64516 300 W 240 V	Shipping carton box 12	180 mm x 127 mm x 140 mm	3.20 dm ³	290.00 g
4008321746214	64516 300 W 240 V	Folding carton box 1	71 mm x 33 mm x 37 mm	0.09 dm ³	13.50 g
4008321746221	64516 300 W 240 V	Shipping carton box 20	205 mm x 76 mm x 142 mm	2.21 dm ³	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure:
"A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.