

# 64672 500 W 240 V

Halogen lamps, medium/high voltage, single-ended




Areas of application

- Professional film and TV work

#### **Product features**

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



June 26, 2019, 12:55:31 64672 500 W 240 V

#### Technical data


#### **Electrical data**


Nominal wattage	500.00 W
Nominal voltage	240 V

#### Photometrical data

Nominal luminous flux	8500 lm
Color temperature	2900 К

#### **Dimensions & weight**





Diameter 22.0 mm		
Length	89.9 mm	
Illuminated field	12.0*11.0 mm²	
Filament diameter	11.0 mm	

#### Lifespan

Lifespan	2000 h	
Additional product data		
Base (standard designation)	GY9.5	
Capabilities		
Burning position	Any	
Certificates & standards		
EEI – Energy Label	D	
Country specific categorizations		

ANSI code	Other	
Order reference	64672 500W 240V	

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321098535	64672 500 W 240 V	Folding carton box 1	111 mm x 42 mm x 42 mm	0.20 dm <sup>3</sup>	39.40 g
4008321098542	64672 500 W 240 V	Shipping carton box 12	180 mm x 140 mm x 140 mm	3.53 dm <sup>3</sup>	555.40 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### References / Links

For further information on pinch technology, please refer to the following brochure: "A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.