

## Incandescent 8100

Lamps without halogen, low voltage



### Areas of application

- As film projector lamps





## Product datasheet

### Technical data

#### Electrical data

Lamp wattage	30 W
Nominal voltage	6.0 V
Nominal wattage	30.00 W

#### Dimensions & weight



E14  
IEC 7004-23



E 14

Diameter	35.0 mm
Length	65.0 mm
Light center length (LCL)	35.0 mm

#### Temperatures & operating conditions

Max. permitted ambient temp. pinch point	350 °C
------------------------------------------	--------

#### Lifespan

Lifespan	600 h
----------	-------

#### Additional product data

Base (standard designation)	E14
-----------------------------	-----

#### Capabilities

Dimmable	No
Burning position	Any

#### Country specific categorizations


Order reference	30W 5V E14 VS10
-----------------	-----------------

### Country specific information

## Product datasheet

Product code	METEL code	SEG-No.	STK number	UK Org
4050300342122	OSRF8100	-	4739334	-

## Product datasheet



### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
0046135763212	Incandescent 8100	Unpacked 1	- x - x -		
10046135763219	Incandescent 8100	Shipping carton box 100	410 mm x 205 mm x 170 mm	14.28 dm <sup>3</sup>	1760.00 g
4050300342122	Incandescent 8100	Folding carton box 1	69 mm x 36 mm x 36 mm	0.09 dm <sup>3</sup>	16.00 g
4050300342139	Incandescent 8100	Shipping carton box 100	366 mm x 166 mm x 191 mm	11.60 dm <sup>3</sup>	1800.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.