

Mod. 3005 B

COPOLYMER POLYPROPYLENE WATERPROOF CASE




METRIC MM-KG-C°

	INTERNAL DIMENSIONS		EXTERNAL DIMENSIONS		OTHER DATA	
	L LENGTH W WIDTH D DEPTH LID BASE	300 mm 210 mm 58 mm 20 mm 38 mm	L LENGTH W WIDTH D DEPTH	326 mm 269 mm 75 mm	WEIGHT EMPTY WEIGHT WITH FOAM WEIGHT WITH CUSTOM FOAM VOLUME BUOYANCY OPERATING TEMPERATURE	1,10 Kg 1,20 Kg Kg 4 lt 2,10 Kg/max °C min +90 / max -33
IMPERIAL IN-LBS-F°						
	INTERNAL DIMENSIONS		EXTERNAL DIMENSIONS		OTHER DATA	
	L LENGTH W WIDTH D DEPTH	11 13/16 in 8 1/4 in 2 5/16 in	L LENGTH W WIDTH D DEPTH	12 13/16 in 10 9/16 in 2 15/16 in	WEIGHT EMPTY WEIGHT WITH FOAM WEIGHT WITH CUSTOM FOAM	2.42 lbs 2.64 lbs lbs
D	LID	0 13/16 in				

FOAM VOLUME BUOYANCY OPERATING TEMPERATURE

0.95 gal
4.62 lbs/max
°F min +194 / max
-27.4



BASE

0 13/16 in 1 1/2 in

EXPLORER CASES BY GT LINE SRL VIA DEL LAVORO, 9 LOC. CRESPELLANO - 40053 VALSAMOGGIA(BOLOGNA)-ITALY - TELEPHONE +39/051/65041 - FAX +39/051/734925



FEATURES



CORROSION PROOF METAL HINGES WITH LID STAY FEATURES



INTERNAL SLOTS

Internal slots for optional panel mounting brackets or panel mounting rings



SEALING O-RING (Art. NEOSEAL + nr. art.)

MANUAL PRESSURE RELEASE VALVE The internal stop ring prevents valve from being completely extracted (Art. PURGEVALVE.B)





PVC WATERPROOF I. D. REMOVABLE LABEL

(Art. LABELCOVER + nr. art.)



COUNTERBALANCE SUPPORTS

(in certain models)



ACCESSORIES



PADDED GUN BAG FOR CASE 3005

GBAG 30

Padded gunbag to protect the pistol in the velcroed pouch. It stores 5 magazines and a clean rod in the elasticated loops. GBAG 30 is designed to perfectly fit into Explorer Cases models 3005 (1 piece). The gunbag is built with durable, 600D tear resistant polyester and robust zipper with lockable Velcro pull zipper.

PROTECTIVE SLEEVE FOR PC 13'-13.3'""



TOP ENVELOPE 13

Protective padded notebook sleeve. Protects the laptop from shocks and scratches.



FOAM SET FOR CASE 3005 FOAM.3005

Layers of pre cubed foam for the bottom and convoluted foam for the lid

CONVOLUTED FOAM SET FOR CASE 3005 LIDFOAM.30

(includes 2 pcs.)





ADJUSTABLE SHOULDER KIT

SHOULDERKIT.U

The kit is composed by: shoulder strap with plastic endings, 4 threaded knots, 2 metal plates. (min. extension 106 cm, max. extension 201 cm). The strap comes with the Explorer logo. Suitable for models: 1908, 1913, 2209, 2214, 3005, 4412, 4419, 5117, 9413, 11413 and 13513.



PATENTED HEAVY DUTY BRASS PADLOCK WITH KEYS EXPL PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



PATENTED COMBINATION PADLOCK

Designed to fit snug to the Explorer case mould so as not to swing out



BLIND INSERT

KIT.EXPL.PLUGS

Kit includes 6 pcs. Whenever the slots are not going to be used for in-built applications, those can be closed by blind inserts that will give the case a better and finished interior look.





TSA APPROVED PADLOCK WITH COMBINATION

EXPL TSA.DIGILOCK

The new TSA approved padlocks allow tsa® airport security agents to open the case withoutdestrying the lock. TSA agents are trained to recognize the travel sentry certified logo and should not break the case lock.



METAL BRACKET KIT SUPP.EXPL.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



PLASTIC BRACKET

KIT SUPP.PLAST.

Kit includes 6 pcs.

All models (except for the 1908) are internally equipped with specific slots, to apply the optional metal or plastic brackets which provide either a panel's fixing points or a fix mechanical joint inside the case, to build more complete applications. This way the case becomes a real workstation, rather than just a carrying container. As the panel mounting brackets are mechanically fixed by screws, they can be removed when necessary. The dedicated screws allow the case to remain waterproof, and help the panels to be removed easily and quickly



SPARE PARTS

Name tag holder for models from 2712 up KIN.0496

Includes: 1 transparent name tag holder



KIN.0496

Latch for models from 2712 to 3317 KIN.0439

- (11.0 105
- Includes:
- 1 black latch
- 1 fixing pin



Manual pressure release valve for models from 2712 up KIN.0495

Includes: 1 black purge valve (+ o-ring + pin) 1 threaded bush 1 snap ring (Seeger)



Handle for model from 2712 to 3317

KIN.0475

Includes: 1 black handle 2 fixing pins

