

## Incandescent 8018

Lamps without halogen, low voltage



### Areas of application

- As film projector lamps




## Product datasheet

### Technical data

#### Electrical data

|                 |         |
|-----------------|---------|
| Lamp wattage    | 15 W    |
| Nominal voltage | 6.0 V   |
| Nominal wattage | 15.00 W |

#### Dimensions & weight



|                           |         |
|---------------------------|---------|
| Diameter                  | 19.0 mm |
| Length                    | 52.0 mm |
| Light center length (LCL) | 5.0 mm  |

#### Temperatures & operating conditions

|  |        |
|--|--------|
| Max. permitted ambient temp. pinch point | 350 °C |
|--|--------|

#### Lifespan

|          |       |
|----------|-------|
| Lifespan | 100 h |
|----------|-------|

#### Additional product data

|                             |  |
|-----------------------------|--|
| Base (standard designation) | B15d   |
| Product remark              | Flat-core filament, filament area perpendicular to the lamp axis |

#### Capabilities

|                  |     |
|------------------|-----|
| Dimmable         | No  |
| Burning position | Any |

#### Country specific categorizations

|                 |                 |
|-----------------|-----------------|
| Order reference | 8018 15W 6V B15 |
|-----------------|-----------------|


## Product datasheet

---

### Country specific information

| Product code  | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300206417 | OSRF8018   | -       | 4739342    | -      |
| 4050300206417 | -          | -       | 4516079    | -      |

## Product datasheet



### Logistical Data

| Product code  | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300206417 | Incandescent 8018   | Folding carton box<br>1      | 69 mm x 26 mm x<br>26 mm             | 0.05 dm <sup>3</sup> | 12.00 g      |
| 4050300206424 | Incandescent 8018   | Shipping carton box<br>100   | 270 mm x 142 mm x<br>154 mm          | 5.90 dm <sup>3</sup> | 1625.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.